

FROM *FC 02-81*

10 Jan. 81

5 Jan. 81

SECRET

25X1

COPY DISPOSITION IN EXECUTIVE REGISTRY

☐ NO COPIES
RETAINED

☐ CHRONO FILE

☐ W/O ATTACHMENT

☐ WITH ATTACHMENT

☐ EXECUTIVE SUBJECT FILE

☐ W/O ATTACHMENT

☐ WITH ATTACHMENT

SUBJECT *Memo: Sub: Inspection of FBIS by IG staff*

INFO	ACTION	COMMENT	CONCURRENCE	PREPARE REPLY	RECOMMENDATION	RETURN	FILE
ROUTING	DATE	INITIALS	REMARKS				
1. DC/Admin.	15 Jan 81	EM	TO 3 + 4: FYI I think we have done what we were supposed to do.				
2. C/AS	"	T					
3. DD/FBIS	1/15	m					
4. D/FBIS	15 Jan	J					
5.							
6. DC/AS							
7.							
8. EX. REGISTRY							
FILE DISPOSITION <i>File Inspection Report</i>							

FILE THIS COPY WITH DOCUMENT

ROUTING AND RECORD SHEET

DD/S&T* 038-81

SUBJECT: (Optional)

Inspection of FBIS by IG Staff

FROM:

Chief, TSD/OS

Building

EXTENSION

NO.

OS 0 3125/A

DATE

5 January 1981

TO: (Officer designation, room number, and building)

DATE

RECEIVED

FORWARDED

OFFICER'S INITIALS

COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)

25X1

25X1

25X1

1. Chief, Management Staff
DDS&T, 6 E 38 Hqs

1/12/81

C/S

2.

3. DC/Admin Staff/FBIS
1003 Key Building

4.

5.

6.

7.

8.

9.

10.

11.

12.

13.

14.

15.

FORM
1-79

610

USE PREVIOUS
EDITIONS

SECRET

DD/S&T# 038-81

5 JAN 1981

MEMORANDUM FOR: Deputy Chief, Administrative Staff
Foreign Broadcast Information Service

VIA: Chief, Management Staff
Deputy Director for Science and Technology

FROM: 25X1
Chief, Technical Security Division
Office of Security

SUBJECT: Inspection of FBIS by IG Staff

REFERENCE: Memorandum for C/TSD/OS from DC/Admin
Staff/FBIS, dtd 28 Nov 80, Same Subject

1. With regard to the recommendations resulting from the Inspector General's inspections of FBIS, as mentioned in referent memorandum, I wish to make the following observations:

a. In the past, Audio Countermeasures inspections of FBIS Bureau Chief's offices have not been conducted on a routine basis for the reason that access to such office space by foreign nationals has not been subject to the same strict controls which we demand in other Agency facilities overseas. Unless physical control of an area is exercised on a continuing basis, the efficacy of frequent periodic Audio Countermeasures inspections is certainly questionable. However, to insure in the future that adequate consideration is being given to the possibility of technical threat to FBIS facilities, when an ACM team visits an area in which an FBIS facility is located, they will discuss with the Bureau Chief the advisability of conducting an ACM inspection of his office area. We believe we will be able to resolve other problems related to this activity such as the need to hand-carry certain sensitive items of equipment into the facility while protecting the true nature of the procedure being carried out by our ACM personnel and risking the identification of these personnel with their specialty. The Office of Security Regional Staffs in Europe and the Far East will also be instructed to follow these same procedures.



25X1

ALL PORTIONS OF THIS DOCUMENT ARE SECRET

SECRET

SECRET

b. Policy determinations as to the application of any item of physical security equipment is the prerogative of the Physical Security Division (PSD), Office of Security. During the course of routine comprehensive surveys of FBIS facilities, officers of the Overseas Security Support Branch (OSSB), PSD, would normally make recommendations for the installation of various items of physical security equipment, including SEDD's, whenever they felt such application justified. We do not feel it is appropriate or proper to generalize regarding the need for any item of physical security equipment, but prefer to evaluate these matters on a case-by-case basis. Be assured that OSSB Survey Officers will take cognizance of the IG recommendation in this regard during future surveys of FBIS facilities.

2. If you should have any further questions relative to this matter, please contact the undersigned on extension 


25X1
25X1

25X1

Distribution

Original - Addressee
1 - C/MS/DDS&T

SECRET

SECRET

5596-80

28 November 1980

MEMORANDUM FOR: Chief, Technical Security Division, OS

THROUGH: Chief, Security Management Staff, DDS&T *CSY*FROM:
Deputy Chief, Administrative Staff, FBIS

25X1

SUBJECT: Inspection of FBIS by IG Staff

1. The Inspector General's report on the Foreign Broadcast Information Service (FBIS) included the following two recommendations.

A. Conduct an Audio-Countermeasure Inspection (ACM) at each FBIS Bureau Chiefs' Office.

B. ~~Install Surreptitious Entry Detection Devices~~
(SEDD Counters) on each Bureau Chief's office safe.

2. FBIS bureaus affected are located in Asuncion, Panama, Vienna, London, Nicosia, Amman, Manama, Tel Aviv, Abidjan, Bangkok, Seoul, Okinawa, and the one-man FBIS unit in Cologne. Each bureau usually has only one safe containing classified information. The recommendation to install SEDD counters is due to each FBIS bureau being largely staffed by foreign national employees who are not cleared for handling classified information.

3. ~~It is requested that your office address these recommendations~~
and advise us of the technical assistance which can be provided.

25X1



25X1

OS O 3125

SECRET